



COSHH Risk Assessment No: 102

Product Name: Ratimor Fresh Bait



Registration number – UK-2012-0657

Appearance – Red pasta sachet bait

Describe the activity or work process.
(Inc. how long/ how often this is carried out and quantity substance used)

Anticoagulant rodenticide used to control active rat / house mouse populations in and around buildings Quantity to be used as per product label (attached) dependent upon species and area of use

Location of process being carried out?

To control active rodent activity in and around buildings

Identify the persons at risk:

Employees



Sub-contractors



Public



Name the substance involved including active ingredient, in the process and its manufacturer.
(A copy of a current safety data sheet is attached to this assessment)

Ratimor Fresh bait (Unichem)
Active Ingredients – Bromadiolone (0.005%w/w)

Classification (state the category of danger)



May cause long term health issues



Irritant - dermatitis causing



Extremely Flammable



Toxic



Sensitising



Highly Flammable



Corrosive



Biological



Flammable



Harmful – lung damage if swallowed



Oxidising



Environmental

Hazard Type



Gas



Vapour



Mist



Fume



Dust



Liquid



Solid



Other (State)

Route of Exposure



Inhalation



Skin



Eyes



Ingestion



Other (State)

Workplace Exposure Limits (WELs) please indicate n/a where not applicable

n/a

Short-term exposure level (15 mins): n/a

State the Risks to Health from Identified Hazards

EC Classification:

H360D May damage the unborn child.

H372 Causes damage to organs (blood) through prolonged or repeated exposure.

Control Measures:

Consider non-toxic and least toxic options before application

Always read label before use and comply with details.

To be used by trained operative (professional) only

Keep in original, labelled container.

Remain in control of substance at all times. Storage to be restricted to certified store, out of storage use to be confined to regulated vehicle.

Locate product to prevent access by non-target species including pets.

Where risk of interception by 3rd party warning labels to be used to denote use and risk
Records to be kept on usage and location in pest control master file.
Operator to wear suitable PPE when handling. Including gloves. Records of PPE maintenance to be held
Waste product to be retained and disposed of by Pest Control operator as per EA guidelines.
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P264 Wash hands thoroughly after handling.
P270 Do no eat, drink or smoke when using this product.
P280 Wear protective gloves.
P308 + P313 IF exposed or concerned: Get medical advice/attention.
P314 Get medical advice/attention if you feel unwell.
P405 Store locked up.
P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Safety Phrases:

S1 Keep locked up
S2 Keep out of the reach of children
S7 Keep container tightly closed
S13 Keep away from food, drink and animal feeding stuffs
S20/21 When using do not eat, drink or smoke. Wash hands after use
S36/37 Wear suitable protective clothing and gloves
S44 If you feel unwell, seek medical advice (show the label where possible)
S49 Keep in original container
S57 Use appropriate container to avoid environmental contamination
S60 This material and its container must be disposed of as hazardous waste
S61 Avoid release to the environment. Refer to special instructions / safety data sheets
S62 If swallowed, do not induce vomiting: seek medical advice immediately and show the label or container

Is health surveillance or monitoring required?

Yes ☐ No ☒

Personal Protective Equipment (state type and standard)

 ☐		 ☐	
Dust mask		Visor	
 ☐		 ☐	
Respirator		Goggles	
 ☒	Disposable gloves	 ☐	
Gloves		Overalls	
 ☒	Steel toe cap boots to be worn as per company dress code.	 ☐	
Footwear		Other	

First Aid Measures

Inhalation: Remove patient to fresh air-move out of dangerous area. If symptoms persist seek medical attention Unlikely to present an inhalation hazard as the product is supplied as a paste

Skin: Take off all contaminated clothing. Wash affected skin areas thoroughly with plenty of water and soap! If feeling unwell seek medical help.

Eyes: Immediately flush eyes with plenty of water while keeping eyelids open (at least 15 minutes). Check for and remove any contact lenses. If irritation persist, seek professional medical attention.

Ingestion: Do not induce vomiting. Rinse mouth with water. Immediately consult a doctor. Show the physician the Safety Data Sheet or label.

Antidote is vitamin K1 to be administered by a medical or veterinarian professional

Storage / Spillage

Storage: Store in original, tightly closed container in a dry place. Store at room temperature. Keep container in a well-ventilated place. Keep away from food, drink and animal feeding stuffs. Keep out of the reach of children. Keep away from animals. Protect from direct sunlight. Keep in locked place.

Spillage – Clean spillages immediately. Avoid entry to watercourses

Disposal of Substances & Contaminated Containers

Hazardous Waste ☒ Skip ☐ Return to Depot ☐ Return to Supplier ☒ Other ☐

(If Other Please State):.....

Is exposure adequately controlled?	Yes ☒	No ☐
Risk Rating Following Control Measures		
High ☐	Medium ☐	Low ☒
Assessed by: Brian Duffin	Date: 27/12/2024	Review Date: January 2026