



Registration number – N/a		Appearance – Translucent with Stainless Steel Fibres	
Describe the activity or work process. <i>(Inc. how long/ how often this is carried out and quantity substance used)</i>	Sakarat® Rodent Barrier is easy to apply using a conventional caulking gun. It is safe to use in food environments and is effective within 20 minutes. Fully waterproof with an 8–10-year life expectancy.		
Location of process being carried out?	Used to seal holes in external and non-food contact areas internally		
Identify the persons at risk:	Employees ☒	Sub-contractors ☐	Public ☒
Name the substance involved in the process and its manufacturer.	Sakarat Rodent Barrier (Killgerm) Active Ingredients - Methyl-, 0',0"-Butan-2-one- Tioximosilane, 3-(2-Aminoethylamino)-Propyltrimethoxysilane, stainless steel fibres		
Classification (state the category of danger)			
	☐ Long term health effects		☐ Irritant - dermatitis causing
	☐ Toxic		☒ Sensitising
	☐ Corrosive		☐ Biological
	☐ Harmful – lung damage if swallowed		☐ Oxidising
	☐ Extremely Flammable		
	☐ Highly Flammable		
	☐ Flammable		
	☐ Environmental		
Hazard Type			
☐ Gas	☐ Vapour	☐ Mist	☐ Fume
☐ Dust	☐ Liquid	☒ Solid	☐ Other (State) _____
Route of Exposure			
☐ Inhalation	☒ Skin	☒ Eyes	☒ Ingestion
☐ Other (State) _____			
Workplace Exposure Limits (WELs) please indicate n/a where not applicable			
n/a		Short-term exposure level (15 mins)	
State the Risks to Health from Identified Hazards			
EC Classification: H317 May cause an allergic skin reaction			
Control Measures:			
Always read label before use and comply with details. Operator to use wear suitable PPE when handling due to possible presence of risks associated with rodents.			

Records of PPE maintenance to be held Application takes place under adequate ventilation. Wash hands before breaks and after use. Do not eat, drink or smoke during use. Water and detergent should be available for use. Contaminated tools should be cleaned regularly. Safety Phrases: P261: Avoid breathing Spray. P272: Contaminated work clothing should not be allowed out of the workplace. P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of water. P321: Specific treatment (see medical Advice on this label). P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P363: Wash contaminated clothing before re-use. P501: Dispose of contents/container to an approved hazardous waste centre. waste centre.			
Is health surveillance or monitoring required? Yes ☐ No ☒			
Personal Protective Equipment (state type and standard)			
 ☐ Dust mask		 ☐ Visor	
 ☐ Respirator		 ☐ Goggles	
 ☒ Gloves	Disposable gloves	 ☐ Overalls	
 ☒ Footwear	Steel toe cap boots to be worn as per company dress code.	 ☐ Other	
First Aid Measures			
Inhalation: UNLIKELY - Remove victim from source of exposure. Move into fresh air and keep at rest. Get medical attention if any discomfort continues.			
Skin: Wipe off excess material with cloth or paper. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.			
Eyes: Rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If irritation continues SEEK MEDICAL ADVICE.			
Ingestion: DO NOT induce vomiting. IMMEDIATELY rinse mouth and give plenty of water to drink (200-300ml). Give milk instead of water if readily available. DO NOT induce vomiting. Get medical help immediately.			
Storage			
Storage: Keep in original labelled container, tightly closed. Store in cool, dry place Spillage: Sweep up. Wipe area then wash area.			
Disposal of Substances & Contaminated Containers			
Hazardous Waste ☐ Skip ☒ Return to Depot ☐ Return to Supplier ☐ Other ☐			
(If Other Please State): Non Toxic can be placed in refuse			
Is exposure adequately controlled?	Yes ☒ No ☐		
Risk Rating Following Control Measures			
High ☐	Medium ☐	Low ☒	
Assessed by: Paul Mallett		Date: 02/01/2025	Review Date: January 2026