



Registration number – UK-2015-0857	Appearance – Blue paste encased in tea bag style sachets		
Describe the activity or work process. <i>(Inc. how long/ how often this is carried out and quantity substance used)</i>	Anticoagulant rodenticide used to control active rat / house mouse populations inside and around buildings and in sewers. Quantity to be used as per product label dependent upon species and area of use. For professional use only. Can be burrow baited. Bait to be removed at end of treatment, not suitable for permanent baiting.		
Location of process being carried out?	To control active rodent activity in and around buildings.		
Identify the persons at risk:	Employees <input checked="" type="checkbox"/>	Sub-contractors <input type="checkbox"/>	Public <input checked="" type="checkbox"/>
Name the substance involved including active ingredient, in the process and its manufacturer.	Ratimor Brodifacoum Fresh Bait (Unichem) Active Ingredients – Brodifacoum (0.0029%)		

Classification (state the category of danger)

	<input checked="" type="checkbox"/>	Long term effect on health		<input type="checkbox"/>	Irritant - dermatitis causing		<input type="checkbox"/>	Extremely Flammable
	<input type="checkbox"/>	Toxic		<input type="checkbox"/>	Sensitising		<input type="checkbox"/>	Highly Flammable
	<input type="checkbox"/>	Corrosive		<input type="checkbox"/>	Biological		<input type="checkbox"/>	Flammable
	<input type="checkbox"/>	Harmful – lung damage if swallowed		<input type="checkbox"/>	Oxidising		<input type="checkbox"/>	Environmental

Hazard Type

<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>					
Gas	Vapour	Mist	Fume	Dust	Liquid	Solid	Other (State).....

Route of Exposure

<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Inhalation	Skin	Eyes	Ingestion	Other (State).....

Workplace Exposure Limits (WELs) please indicate n/a where not applicable

n/a | Short-term exposure level (15 mins): n/a

State the Risks to Health from Identified Hazards

EC Classification:

H360D May damage the unborn child.
H372 Causes damage to organs (blood) through prolonged or repeated exposure.

Control Measures:

Consider Non-toxic and least toxic options before application
Always read label before use and comply with details.
To be used by trained operative (professional) only
Keep in original, labelled container.
Remain in control of substance at all times. Storage to be restricted to certified store, out of storage use to be confined to regulated vehicle.
Locate product to prevent access by non-target species including pets. Within covered station at all times.

Where risk of interception by 3rd party warning labels to be used to denote use and risk
 Records to be kept on usage and location in pest control master file.
 Operator to wear suitable PPE when handling. Including gloves. Records of PPE maintenance to be held
 Waste product to be retained and disposed of by Pest Control operator as per EA guidelines.

Safety Phrases:

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P264 Wash hands thoroughly after handling.
- P270 Do no eat, drink or smoke when using this product.
- P280 Wear protective gloves.
- P308 + P313 IF exposed or concerned: Get medical advice/attention.
- P314 Get medical advice/attention if you feel unwell.
- P405 Store locked up.
- P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Is health surveillance or monitoring required?

Yes No

Personal Protective Equipment (state type and standard)

 <input type="checkbox"/>		 <input type="checkbox"/>	
Dust mask		Visor	
 <input type="checkbox"/>		 <input type="checkbox"/>	
Respirator		Goggles	
 <input checked="" type="checkbox"/>	Nitrile Gloves to EN374	 <input type="checkbox"/>	
Gloves		Overalls	
 <input checked="" type="checkbox"/>	Steel toe cap boots to be worn as per company dress code.	 <input type="checkbox"/>	
Footwear		Other	

First Aid Measures

Inhalation: Remove patient to fresh air-move out of dangerous area. If symptoms persist seek medical attention. Unlikely to present an inhalation hazard as the product is supplied as a paste

Skin: Take off all contaminated clothing. Wash affected skin areas thoroughly with plenty of water and soap. If symptoms develop and persist, seek medical attention.

Eyes: Immediately flush eyes with plenty of water while keeping eyelids apart (at least 15 minutes). After 5 minutes of rinsing, remove contact lenses, if present, and continue rinsing. If irritation persists, seek professional medical attention.

Ingestion: Do not induce vomiting! Rinse mouth thoroughly with water. In case of doubt or if feeling unwell seek medical help. Show the physician the safety data sheet or label.

ANTIDOTE is vitamin K1 – to be administered by a medical or veterenarian professional

Storage / Spillage

Storage: Keep in original labelled container in designated, controlled pesticide store, out of reach of children and protected from elements.

Spillage – Clean spillages immediately. Avoid entry to watercourses

Disposal of Substances & Contaminated Containers

Hazardous Waste Skip Return to Depot Return to Supplier Other

(If Other Please State): Cardboard outer can be recycled if untainted by product. Plastic liner disposed of as contaminated packaging.

Is exposure adequately controlled?

Yes No

Risk Rating Following Control Measures

High Medium Low

Assessed by: Brian Duffin

Date: 19/12/2025

Review Date: January 2027