



Registration number – GB-2016-1058-0004		Appearance – Blue paste sachet	
Describe the activity or work process. <i>(Inc. how long/ how often this is carried out and quantity substance used)</i>	Anticoagulant rodenticide used to control active rat / mouse populations inside and around buildings. For professional use only. Application rates: • For the control of house mice (<i>Mus musculus</i>) - indoor: - 10g of bait per bait station. If more than 1 bait station is needed, the minimum distance between bait stations should be 3 – 5m apart. • For the control of brown rats (<i>Rattus norvegicus</i>) - indoor and outdoor around buildings uses: - 60g of bait per bait station. If more than one bait station is needed, the minimum distance between bait stations should be 5 – 10m apart Remove the remaining product at the end of treatment period.		
Location of process being carried out?	To control active rodent activity in (mice and rats) and around buildings (for rats only). Can be used in Burrows		
Identify the persons at risk:	Employees ☒	Sub-contractors ☐	Public ☒
Name the substance involved including active ingredient, in the process and its manufacturer.	Sapphire Paste 25 Active Ingredients – Brodifacoum (0.0025%)		
Classification (state the category of danger)			
	☒	Long term effect on health	
	☐	Toxic	
	☐	Corrosive	
	☐	Harmful – lung damage if swallowed	
	☐	Extremely Flammable	
	☐	Highly Flammable	
	☐	Flammable	
	☐	Environmental	
Hazard Type			
☐	☐	☐	☐
☐	☐	☐	☒
☐	☐	☐	☐
Gas	Vapour	Mist	Fume
Dust	Liquid	Solid	Other (State)
Route of Exposure			
☐	☒	☒	☒
☐	☐	☐	☐
Inhalation	Skin	Eyes	Ingestion
Other	(State)		
Workplace Exposure Limits (WELs) please indicate n/a where not applicable			
n/a		Short-term exposure level (15 mins): n/a	
State the Risks to Health from Identified Hazards			

EC Classification:

H360D May damage the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Control Measures:

Consider Non-toxic and least toxic options before application

Always read label before use and comply with details.

Keep in original, labelled container.

Remain in control of substance at all times. Storage to be restricted to certified store, out of storage use to be confined to regulated vehicle.

Locate product to prevent access by non-target species including pets. Within covered station at all times.

Where risk of interception by 3rd party warning labels to be used to denote use and risk

Records to be kept on usage and location in pest control master file.

Operator to wear suitable PPE when handling. Including gloves. Records of PPE maintenance to be held

Waste product to be retained and disposed of by Pest Control operator as per EA guidelines.

Precautionary statements:

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P220 Keep away from clothing and other combustible materials

P262 Do not get in eyes, on skin, or on clothing

P270 Do not eat, drink or smoke when using this product

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor

P314 Get medical advice/attention if you feel unwell

P404 Store in a closed container. Store locked up

P405 Dispose of contents/container according to the regulation.

P501 May cause damage to organs through prolonged or repeated exposure

Is health surveillance or monitoring required?

Yes ☐No ☒**Personal Protective Equipment (state type and standard)**

 ☐		 ☐	
Dust mask		Visor	
 ☐		 ☐	
Respirator		Goggles	
 ☒	Disposable nitrile gloves to EN374	 ☐	
Gloves		Overalls	
 ☒	Steel toe cap boots to be worn as per company dress code.	 ☐	
Footwear		Other	

First Aid Measures**Inhalation: Unlikely as a sachet.** Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control centre immediately.**Skin:** Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.**Eyes:** Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Remove contact lenses. Immediate medical attention is required.**Ingestion:** Rinse mouth carefully with water. Take victim immediately to hospital. Do NOT induce vomiting.**ANTIDOTE** is vitamin K1 – to be administered by a medical or veterinarian professional

Storage / Spillage		
Storage: Store in a dry, cool and well-ventilated place. Store locked up and in a closed container. Keep the container closed and away from direct sunlight. Store in places prevented from the access of children, birds, pets and farm animals.		
Spillage – Clean spillages immediately. Avoid entry to watercourses		
Disposal of Substances & Contaminated Containers		
Hazardous Waste ☒ Skip ☐ Return to Depot ☐ Return to Supplier ☒ Other ☐		
(If Other Please State):.....		
Is exposure adequately controlled?	Yes ☒	No ☐
Risk Rating Following Control Measures		
High ☐	Medium ☐	Low ☒
Assessed by: Brian Duffin	Date: 05/06/2026	Review Date: January 2028